

Test Report No. SHAFD2216176401 Date: 29 Nov 2022 Page 1 of 5

CHANGZHOU SUN PLUS LAMINATE CO.,LTD Client Name:

Client Address: No.16 wuqing road, weixing industry, henglin town, Changzhou, china

Sample Name: sen xiao er pinewood fiber resin plate

The above sample(s) and information were provided by the client.

GZF22-038769 ASH22-059726 - SH SGS Job No.:

Date of Sample Received : 16 Nov 2022

16 Nov 2022 - 29 Nov 2022 Testing Period:

Test Requested: Selected test(s) as requested by the client.

Test Method(s): Please refer to next page(s). Test Result(s): Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Sensorial examination odour and taste test	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Pesticides	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Arsenic	PASS
Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Pentachlorophenol (PCP)	PASS

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jenny Lan

Approved Signatory







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con



Test Report

No. SHAFD2216176401

Date: 29 Nov 2022

Page 2 of 5

Test Result(s):

Test Part Description:

Specimen No. SGS Sample ID Description

Material (claimed by the client)

wood

SN1

SHA22-161764.001

Natural solid

Remarks:

(1) mg/dm² = milligram per square decimeter

(2) mg/kg = milligram per kilogram

(3) °C= degree Celsius

(4) < = less than

(5) MDL = Method Detection Limit

(6) ND = Not Detected (< MDL)

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Sensorial examination odour and taste test

Test Method: With reference to DIN 10955:2004

No. of panelist: 6

Test Item(s)	4	<u>_imit</u>	<u>001</u>
Test media		1/11	Cucumber
Test time (hr(s))	(A)	-	2
Temperature(°C)	11/2	-	40
Sensorial examination odour (Point scale)	the.	2.5	0
Sensorial examination taste (Point scale)	RES	2.5	0
Conclusion	159		PASS

Notes:

Scale evaluation:

- 0 no perceptible difference
- 1 just perceptible difference
- 2 slight difference
- 3 marked difference
- 4 strong difference

DW= Distilled water

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Pesticides



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the me of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested.

3¹⁶Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国•上海•徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 t HL (86-21) 61402594 f HL (86-21)61156899



Test Report No. SHAFD2216176401 Date: 29 Nov 2022 Page 3 of 5

Test Method: With reference to US EPA Method 8081B, 3620B, 3630C. Analysis was performed by GC-MS,

GC-ECD, GC-NPD & HPLC-DAD-MSD.

Test Item(s)

Pesticides (specify detected pesticide)

Limit

MD

ND

Notes:

★= Absent

Annex I:	List of Pesticides	with Detection	on Limits		
<u>Pesticide</u>	CAS No.	Detection	<u>Pesticide</u>	CAS No.	Detection
	9	Limit	(2)		Limit
	1	(mg/kg)			(mg/kg)
Azinophosmethyl	86-50-0	0.05	Hexachlorobenzene	118-74-1	0.05
Azinophosethyl	2642-71-9	0.05	a-Hexachlorcyclohexane	319-84-6	0.05
Aldrine	309-00-2	0.05	ß-Hexachlorcyclohexane	319-85-7	0.05
Bromophos-ethyl	4824-78-6	0.05	δ-Hexachlorcyclohexane	319-86-8	0.05
Carbaryl	63-25-2	0.2	Lindane (g-HCH)	58-89-9	0.05
Chlordane	57-74-9	0.2	Malathion	121-75-5	0.2
Chlordimeform	6164-98-3	0.5	Metamidophos	10265-92-6	0.2
Coumaphos	56-72-4	0.05	Methoxychlor	72-43-5	0.05
Cyfluthrin	68359-37-5	0.2	Mirex	2385-85-5	0.05
Cyhalothrin	91465-08-6	0.05	Monocrotophos	6923-22-4	0.2
Cypermethrin	52315-07-8	0.05	Parathion	56-38-2	0.05
DEF	78-48-8	0.2	Parathion-methyl	298-00-0	0.2
Deltamethrin	52918-63-5	0.05	Propethamphos	31218-83-4	0.5
2,4'-DDD	53-19-0	0.05	Profenophos	41198-08-7	0.05
4,4'-DDD	72-54-8	0.05	Quinalphos	13593-03-8	0.2
2,4'-DDE	3424-82-6	0.05	Toxaphen (Camphechlor)	8001-35-2	0.2
4,4'-DDE	72-55-9	0.05	Trifluralin	1582-09-8	0.2
4,4'-DDT	50-29-3	0.05	2,4,5-T	93-76-5	0.5
2,4'-DDT	789-02-6	0.05	2,4-D	94-75-7	0.5
Diazinon	333-41-5	0.2	Captafol	2425-06-1	0.05
Dicrotophos	141-66-2	0.2	Chlorfenvinphos	470-90-6	0.05
Dieldrine	60-57-1	0.05	Dichlorprop	120-36-5	0.5
Dimethoate	60-51-5	0.05	Dinoseb and salts	88-85-7	0.5
a-Endosulfan	959-98-8	0.05	MCPA	94-74-6	0.5
ß-Endosulfan	33213-65-9	0.05	MCPB	94-81-5	0.5
Endrine	72-20-8	0.05	Mecoprop	93-65-2	0.5
Esfenvalerat	66230-04-4	0.05	Phosdrin / Mevinphos	7786-34-7	0.5
Fenvalerate	51630-58-1	0.05	Perthane	72-56-0	0.2
Heptachlor	76-44-8	0.05	Strobane	8001-50-1	0.2
Heptachlorepoxide		0.05	Telodrine	297-78-9	0.2
Isodrine	465-73-6	0.2	TeCP	935-95-5	0.05
Kelevane	4234-79-1	0.2			. ")
Kepone	143-50-0	0.2	(2)		

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Arsenic

Test Method: Acid digestion, analysis was performed by ICP-OES.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attentions To object the authoricity of testing //insection report & certificate, please contact us at temphone: (86-755) 8307 1443.

3¹⁴Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国•上海•徐汇区宜山路889号3号楼 邮编: 200233 

Test Report No. SHAFD2216176401 Date: 29 Nov 2022 Page 4 of 5

 Test Item(s)
 Limit
 Unit
 MDL
 001

 Arsenic (As)
 ★ mg/kg
 2 ND

 Conclusion
 PASS

Notes:

★= Absent

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004-Pentachlorophenol (PCP)

Test Method: With reference to ISO 17070: 2015, analysis was performed by GC-ECD or by

GC-MS

 Test Item(s)
 Limit
 Unit
 MDL
 001

 Pentachlorophenol (PCP)
 5 mg/kg
 0.05 ND

 Conclusion
 PASS

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

Sample photo:



SGS authenticate the photo on original report only



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention:*To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:*To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Totack the content of the content of

3¹⁶Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 • 上海 • 徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 t HL (86–21) 61402594 f HL (86–21)61156899



Test Report

No. SHAFD2216176401

Date: 29 Nov 2022

Page 5 of 5

*** End of Report ***





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **The contact is a contact us at telephone: (86-755) 8307 1443, **The contact is a contact us at telephone: (86-755) 8307 1443, **The contact is a contact us at telephone: (86-755) 8307 1443, **The contact is a contact us at telephone:

3¹⁴Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国•上海•徐汇区宜山路889号3号楼 邮编: 200233